



Refer: JUBL/EHS/015

Date: 13.06.2018

To

The Regional Officer

Uttarakhand Environment Protection & Pollution Control Board

Roorkee- 247667

Uttarakhand

SUBJECT : Submission of annual Report of Biomedical Waste (Form-4).

Dear Sir,

We Jubilant Generics are operating at "Village Sikandarpur Bhainswal, Roorkee Dehradun Highway, Bhagwanpur –Roorkee.

In compliance to "The Bio Medical Waste Rules 2016' herewith we are submitting annual report of our site, for your kind reference.

Request you to acknowledge the receipt.

Thanking you very much.

Sincerely

For, Jubilant Generics Limited

Prashant Kumar Nayak

(Plant Head)

A Jubilant Pharma Company

OUR VALUES



Jubilant Generics Limited

Village Sikandarpur Bhainswal,
Roorkee Dehradun Highway, Bhagwanpur,
Roorkee, Distt. Haridwar-247 661, UK, India
Tel: +91 1332 235161-67, +91 9997277113
Fax: +91 1332 235169
www.jubilantpharma.com

Corporate Office:
1-A, Sector 16-A,
Noida-201 301, UP, India
Tel: +91 120 4361000
Fax: +91 120 4234895-96

Regd. Office:
1-A, Sector 16-A,
Noida-201 301, UP, India
CIN : U24100UP2013FLC060821

Form - IV
(See rule
13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Prashant Kumar Nayak
	(ii) Name of HCF or CBMWTF	:	Jubilant Generics Limited
	(iii) Address for Correspondence	:	Village :Sikandarpur Bhainswal, Roorkee Dehradun Highway, Bhagwanpur-Roorkee .Distt Haridwar
	(iv) Address of Facility		Jubilant Generics Limited Village :Sikandarpur Bhainswal, Roorkee Dehradun Highway, Bhagwanpur-Roorkee .Distt Haridwar
	(v)Tel. No, Fax. No	:	01332-235161
	(vi) E-mail ID	:	Prashant.Nayak@jubl.com
	(vii) URL of Website		www.jubl.com
	(viii) GPS coordinates of HCF or CBMWTF		NA
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation BMW-300551 valid up to 31/12/2075
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to : 31.03.2019
2.	Type of Health Care Facility	:	This is a pharma plant having occupational health center.
	(i) Bedded Hospital	:	No. of Beds:..... Not applicable
	(ii) Non-bedded hospital	:	Not applicable
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		


	(iii) License number and its date of expiry		Not applicable																																																
3.	Details of CBMWTF	:	Not applicable																																																
	(i) Number healthcare facilities covered by CBMWTF	:	Not applicable																																																
	(ii) No of beds covered by CBMWTF	:	Not applicable																																																
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA Kg per day																																																
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA Kg/day																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 250 Kg Red Category : NA White: NA NA Blue Category : General Solid waste: NA																																																
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : Not applicable Capacity : Not applicable Provision of on-site storage : (cold storage or any other provision)																																																
	disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td>NA</td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves		NA		Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer		-		Sharps encapsulation or concrete pit		-		Deep burial pits:				Chemical disinfection:		-		Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																
Incinerators																																																			
Plasma Pyrolysis																																																			
Autoclaves		NA																																																	
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer		-																																																	
Sharps encapsulation or concrete pit		-																																																	
Deep burial pits:																																																			
Chemical disinfection:		-																																																	
Any other treatment equipment:																																																			

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) NA								
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA								
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table><thead><tr><th>Quantity generated</th><th>Where disposed</th></tr></thead><tbody><tr><td>Incineration</td><td></td></tr><tr><td>Ash</td><td></td></tr><tr><td>ETP Sludge</td><td></td></tr></tbody></table>	Quantity generated	Where disposed	Incineration		Ash		ETP Sludge	
Quantity generated	Where disposed										
Incineration											
Ash											
ETP Sludge											
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Medical Pollution Control Committee, CBWTF Add- 242, Village- Mandwar- Roorkee, Haridwar								
	(vii) List of member HCF not handed over bio-medical waste.		Not Applicable								
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		No								
7	Details trainings conducted on BMW										
	(i) Number of trainings conducted on BMW Management.										
	(ii) number of personnel trained		100 % working handling biomedical waste are trained								
	(iii) number of personnel trained at the time of induction		NA								
	(iv) number of personnel not undergone any training so far		NA								
	(v) whether standard manual for training is available?		Yes								
	(vi) any other information)		No								
8	Details of the accident occurred during the year										
	(i) Number of Accidents occurred		No accident occurred								
	(ii) Number of the persons affected		NA								
	(iii) Remedial Action taken (Please attach details if any)		NA								
	(iv) Any Fatality occurred, details.		NO								

9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Not Applicable
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) Not Applicable

Certified that the above report is for the period from 01.04.2017 to 31.03.2018

.....



Name and Signature of the Head of the

Institution Date:

Place 